

CONTENTS OF VOLUME 38 · 2000/2001

- Abdennadher M, Mills D: Telomere-associated RFLPs and electrophoretic karyotyping reveal lineage relationships among race-specific strains of *Ustilago hordei* 141
- Adrianne M → Osman F
- Asakura N → Tsukamoto N
- Bachhawat AK → Sharma KG
- Bégueret J → Saupé SJ
- Benítez T → de las Mercedes Dana M
- Berardi E → Vallini V
- Berka RM → Elrod SL
- Billon-Grand G → Gente S
- Bourbouloux A → Sharma KG
- Braus GH → Busch S
- Busch S, Hoffmann B, Valerius O, Starke K, Düvel K, Braus GH: Regulation of the *Aspergillus nidulans* *hisB* gene by histidine starvation 314
- Calvo O → Delbecq P
- Cerdán ME → González-Domínguez M
- Chen XJ: Absence of F_1 -ATPase activity in *Kluyveromyces lactis* lacking the ϵ subunit 1
- Cherry JR → Elrod SL
- Ciesla Z → Mieczkowski P
- Clavé C → Saupé SJ
- Cooley M, Mishra NC: Genetic analysis of the in vivo role of DNA polymerases in *Saccharomyces cerevisiae* 256
- Dajewski W → Mieczkowski P
- Danzi SE, Zhang B, Michels CA: Alterations in the *Saccharomyces MAL*-activator cause constitutivity but can be suppressed by intragenic mutations 233
- Davidson JF, Schiestl RH: Mis-targeting of multiple gene disruption constructs containing *hisG* 188
- de Calignon A → Huang M-E
- de las Mercedes Dana M, Limón MC, Mejías R, Mach RL, Benítez T, Pintor-Toro JA, Kubicek CP: Regulation of chitinase 33 (*chit33*) gene expression in *Trichoderma harzianum* 335
- Delahodde A → Simonics T
- Delbecq P, Calvo O, Filipkowski RK, Piérard A, Messenguy F: Functional analysis of the leader peptide of the yeast gene *CPA1* and heterologous regulation by other fungal peptides 105
- Delrot S → Sharma KG
- Démolis N → Zhu X
- Díaz-Minguez JM → Hermosa MR
- Dickson RC → Skrzypek M
- Dubois E → El Alami M
- Düvel K → Busch S
- El Alami M, Feller A, Piérard A, Dubois E: Characterisation of a tripartite nuclear localisation sequence in the regulatory protein Lys14 of *Saccharomyces cerevisiae* 78
- Elrod SL, Jones A, Berka RM, Cherry JR: Cloning of the *Aspergillus oryzae* 5-aminolevulinate synthase gene and its use as a selectable marker 291
- Elzinga SDJ, van Oosterum K, Maat C, Grivell LA, van der Spek H: Isolation and RNA-binding analysis of NAD^+ -isocitrate dehydrogenases from *Kluyveromyces lactis* and *Schizosaccharomyces pombe* 87
- Feller A → El Alami M
- Feller F → Hamann A
- Fèvre M → Gente S
- Filipkowski RK → Delbecq P
- Freire-Picos MA → González-Domínguez M
- Galibert F → Huang M-E
- Gente S, Billon-Grand G, Poussereau N, Fèvre M: Ambient alkaline pH prevents maturation but not synthesis of ASPA, the aspartyl protease from *Penicillium roqueforti* 323
- Goedegebuure RHGA → Winkler AA
- González-Domínguez M, Freire-Picos MA, Ramil E, Guiard B, Cerdán ME: Heme-mediated transcriptional control in *Kluyveromyces lactis* 171
- Goto M → Nogawa M
- Grivell LA → Elzinga SDJ
- Grondona I → Hermosa MR
- Guiard B → González-Domínguez M
- Hamann A, Feller F, Osiewicz HD: *Yeti* – a degenerate gypsy-like LTR retrotransposon in the filamentous ascomycete *Podospira anserina* 132
- Harrington TC → Witthuhn RC
- Hartmann C, Henry Y, Tregear J, Rode A: Nuclear control of mitochondrial genome reorganization characterized using cultured cells of ditelosomic and nullisomic-tetrasomic wheat lines 152
- Hattori N → Tsukamoto N
- Henry Y → Hartmann C
- Hermosa MR, Grondona I, Díaz-Minguez JM, Iturriaga EA, Monte E: Development of a strain-specific SCAR marker for the detection of *Trichoderma atroviride* 11, a biological control agent against soilborne fungal plant pathogens 343
- Hiraoka Y → Ueno M
- Hoffmann B → Busch S
- Hooykaas PJJ → Winkler AA
- Horváth A → Špirek M
- Huang M-E, de Calignon A, Nicolas A, Galibert F: *POL32*, a subunit of the *Saccharomyces cerevisiae* DNA polymerase δ , defines a link between DNA replication and the mutagenic bypass repair pathway 178
- Inbar O, Kupiec M: Recombination between divergent sequences leads to cell death in a mismatch-repair-independent manner 23
- Iturriaga EA → Hermosa MR
- Jacq C → Simonics T
- Jacquet M → Zhu X
- Jamoussi K, Lazowska J: Intragenic suppressors that restore the splicing and homing activities of the protein encoded by the second intron of the *Saccharomyces capensis* *cyt b* gene 276
- Jeong J-H → Kim E-K
- Jia J, Wheals A: Endopolygalacturonase genes and enzymes from *Saccharomyces cerevisiae* and *Kluyveromyces marxianus* 264
- Jones A → Elrod SL
- Kim E-K, Jeong J-H, Youn HS, Koo YB, Roe J-H: The terminal protein of a linear mitochondrial plasmid is encoded in the N-terminus of the DNA polymerase gene in white-rot fungus *Pleurotus ostreatus* 283
- Köller W → Zheng D
- Koo YB → Kim E-K
- Korstanje R → Winkler AA
- Kozovska Z → Simonics T
- Kubicek CP → de las Mercedes Dana M
- Kupiec M → Inbar O
- Kurokawa R → Ueno M
- Larsen M, Meinhardt F: *Kluyveromyces lactis* killer system: Identification of a new gene encoded by pGKL2 271
- Lazowska J → Jamoussi K
- Lester RL → Skrzypek M
- Limón MC → de las Mercedes Dana M
- Linka M → Schierová M
- Maat C → Elzinga SDJ
- Mach RL → de las Mercedes Dana M
- Maliga P → Suzuki JY
- Maslov DA → Nawathean P
- McCready S → Osman F
- Meinhardt F → Larsen M
- Mejías R → de las Mercedes Dana M
- Messenguy F → Delbecq P
- Michaeli T → Zhu X
- Michalkova-Papajova D → Simonics T
- Michels CA → Danzi SE
- Mieczkowski P, Dajewski W, Podlaska A, Skoneczna A, Ciesla Z, ledzińska-Gójska E: Expression of *UMP1* is inducible by DNA damage and required for resistance of *S. cerevisiae* cells to UV light 53
- Miklós I → Zilahi E
- Mills D → Abdennadher M
- Mishra NC → Cooley M
- Monte E → Hermosa MR
- Mori N → Tsukamoto N
- Morikawa Y → Nogawa M
- Nakamura C → Tsukamoto N
- Nawathean P, Maslov DA: The absence of genes for cytochrome *c* oxidase and reductase subunits in maxicircle kineto-

- plast DNA of the respiration-deficient plant trypanosomatid *Phytomonas serpens* 95
- Nicolas A → Huang M-E
- Nogawa M, Goto M, Okada H, Morikawa Y: L-Sorbose induces cellulase gene transcription in the cellulolytic fungus *Trichoderma reesei* 329
- Okada H → Nogawa M
- Olaya G → Zheng D
- Osiewacz HD → Hamann A
- Osman F, Adriance M, McCready S: The genetic control of spontaneous and UV-induced mitotic intrachromosomal recombination in the fission yeast *Schizosaccharomyces pombe* 113
- Oudemans PV → Zhu P
- Pažoutová S → Schierová M
- Piérard A → Delbecq P
- Piérard A → El Alami M
- Pintor-Toro JA → de las Mercedes Dana M
- Piškur J → Špirek M
- Podlaska A → Mieczkowski P
- Poussereau N → Gente S
- Ramil E → González-Domínguez M
- Renauld H → Ueno M
- Rode A → Hartmann C
- Roe J-H → Kim E-K
- Sabourin M → Saupe SJ
- Saupe SJ, Clavé C, Sabourin M, Bégueret J: Characterization of *hch*, the *Podospira anserina* homolog of the *het-c* heterokaryon incompatibility gene of *Neurospora crassa* 39
- Schierová M, Linka M, Pažoutová S: Sulfate assimilation in *Aspergillus terreus*: analysis of genes encoding ATP-sulfurylase and PAPS-reductase 126
- Schiestl RH → Davidson JF
- Sharma KG, Sharma V, Bourbouloux A, Delrot S, Bachhawat AK: Glutathione depletion leads to delayed growth stasis in *Saccharomyces cerevisiae*: evidence of a partially overlapping role for thioredoxin 71
- Sharma V → Sharma KG
- Shelling J → Skrzypek M
- Simchen G → Zenvirth D
- Simonics T, Kozovska Z, Michalkova-Papajova D, Delahodde A, Jacq C, Subik J: Isolation and molecular characterization of the carboxy-terminal *pdr3* mutants in *Saccharomyces cerevisiae* 248
- Sipiczki M → Zilahi E
- Skoneczna A → Mieczkowski P
- Skrzypek M, Lester RL, Spielmann P, Zingg N, Shelling J, Dickson RC: Dominant suppressor mutation bypasses the sphingolipid requirement for growth of *Saccharomyces* cells at low pH: role of the *CWP2* gene 191
- Śledziwska-Gójska E → Mieczkowski P
- Spielmann P → Skrzypek M
- Špirek M, Horváth A, Piškur J, Sulo P: Functional co-operation between the nuclei of *Saccharomyces cerevisiae* and mitochondria from other yeast species 202
- Starke K → Busch S
- Steensma HY → Winkler AA
- Steimel JP → Witthuhn RC
- Strabbioli R → Vallini V
- Subik J → Simonics T
- Sulo P → Špirek M
- Suzuki JY, Maliga P: Engineering of the *rpl23* gene cluster to replace the plastid RNA polymerase α subunit with the *Escherichia coli* homologue 218
- Takumi S → Tsukamoto N
- Tregear J → Hartmann C
- Tsukamoto N, Asakura N, Hattori N, Takumi S, Mori N, Nakamura C: Identification of paternal mitochondrial DNA sequences in the nucleus-cytoplasm hybrids of tetraploid and hexaploid wheat with D and D2 plasmons from *Aegilops* species 208
- Ueno M, Kurokawa R, Renauld H, Watanabe K, Ushimaru T, Uritani M, Yoshinaga K, Hiraoka Y: *Schizosaccharomyces pombe* *taf1⁺* is required for nitrogen starvation-induced sexual development and for entering the dormant G0 state 307
- Uritani M → Ueno M
- Ushimaru T → Ueno M
- Valerius O → Busch S
- Vallini V, Berardi E, Strabbioli R: Mutations affecting the expression of the *MOX* gene encoding peroxisomal methanol oxidase in *Hansenula polymorpha* 163
- van der Spek H → Elzinga SDJ
- van Oosterum K → Elzinga SDJ
- Walworth NC → Wan S
- Wan S, Walworth NC: A novel genetic screen identifies checkpoint-defective alleles of *Schizosaccharomyces pombe* *chk1* 299
- Watanabe K → Ueno M
- Wheals A → Jia J
- Wingfield BD → Witthuhn RC
- Wingfield MJ → Witthuhn RC
- Winkler AA, Goedegebuure RHGA, Zonneveld BJM, Steensma HY, Hooykaas PJJ: Isolation and partial characterization of the *Kluyveromyces lactis* homologue of *SKP1* 8
- Winkler AA, Korstanje R, Zonneveld BJM, Hooykaas PJJ, Steensma HY: Isolation and characterization of *K1UBP2*, a ubiquitin hydrolase gene of *Kluyveromyces lactis* that can suppress a ts-mutation in *CBF2*, a gene encoding a centromeric protein of *Saccharomyces cerevisiae* 17
- Witthuhn RC, Harrington TC, Wingfield BD, Steimel JP, Wingfield MJ: Deletion of the *MAT-2* mating-type gene during uni-directional mating-type switching in *Ceratomyces* 48
- Yoshinaga K → Ueno M
- Youn HS → Kim E-K
- Zenvirth D, Simchen G: Meiotic double-strand breaks in *Schizosaccharomyces pombe* 33
- Zhang B → Danzi SE
- Zheng D, Olaya G, Köller W: Characterization of laboratory mutants of *Venturia inaequalis* resistant to the strobilurin-related fungicide kresoxim-methyl 148
- Zhu P, Oudemans PV: A long terminal repeat retrotransposon *Cgret* from the phytopathogenic fungus *Colletotrichum gloeosporioides* on cranberry 241
- Zhu X, Démolis N, Jacquet M, Michaeli T: *MSI1* suppresses hyperactive RAS via the cAMP-dependent protein kinase and independently of chromatin assembly factor-1 60
- Zilahi E, Miklós I, Sipiczki M: The *Schizosaccharomyces pombe* *sep15⁺* gene encodes a protein homologous to the Med8 subunit of the *Saccharomyces cerevisiae* transcriptional mediator complex 227
- Zingg N → Skrzypek M
- Zonneveld BJM → Winkler AA

